

#### Kindergarten Mathematics • Unpacked Contents

For the new Standard Course of Study that will be effective in all North Carolina schools in the 2017-18 School Year.

This document is designed to help North Carolina educators teach the Kindergarten Mathematics Standard Course of Study. NCDPI staff are continually updating and improving these tools to better serve teachers and districts.

#### What is the purpose of this document?

The purpose of this document is to increase student achievement by ensuring educators understand the expectations of the new standards. This document may also be used to facilitate discussion among teachers and curriculum staff and to encourage coherence in the sequence, pacing, and units of study for grade-level curricula. This document, along with on-going professional development, is one of many resources used to understand and teach the NC SCOS.

#### What is in the document?

This document includes a detailed clarification of each standard in the grade level along with a *sample* of questions or directions that may be used during the instructional sequence to determine whether students are meeting the learning objective outlined by the standard. These items are included to support classroom instruction and are not intended to reflect summative assessment items. The examples included may not fully address the scope of the standard. The document also includes a table of contents of the standards organized by domain with hyperlinks to assist in navigating the electronic version of this instructional support tool.

#### How do I send Feedback?

Link for: Feedback for NC's Math Unpacking Documents We will use your input to refine our unpacking of the standards. Thank You!

#### Just want the standards alone?

Link for: NC Mathematics Standards

North Carolina Course of Study – Kindergarten Standards				
	Standards for Mathematical Practice			
Counting and Cardinality	Operations and Algebraic Thinking	Number and Operations in Base Ten	Measurement and Data	Geometry
Know number names and	Understand addition and	Build foundation for place	Describe and compare	Identify and describe
the counting sequence.	subtraction.	value.	measurable attributes.	shapes.
<u>NC.K.CC.1</u>	<u>NC.K.OA.1</u>	NC.K.NBT.1	<u>NC.K.MD.1</u>	<u>NC.K.G.1</u>
<u>NC.K.CC.2</u>	<u>NC.K.OA.2</u>		<u>NC.K.MD.2</u>	<u>NC.K.G.2</u>
<u>NC.K.CC.3</u>	<u>NC.K.OA.3</u>		Classify objects and count	<u>NC.K.G.3</u>
Count to tell the number of	<u>NC.K.OA.4</u>		the number of objects in	Analyze, compare, create,
objects.	<u>NC.K.OA.5</u>		each category.	and compose shapes.
<u>NC.K.CC.4</u>	<u>NC.K.OA.6</u>		<u>NC.K.MD.3</u>	<u>NC.K.G.4</u>
<u>NC.K.CC.5</u>				<u>NC.K.G.5</u>
Compare numbers.				<u>NC.K.G.6</u>
<u>NC.K.CC.6</u>				
NC.K.CC.7				

#### **Standards for Mathematical Practice**

Pr	actice	Explanation and Example
1.	Make sense of problems and persevere in solving them.	Mathematically proficient students in Kindergarten begin to develop effective dispositions toward solving word problems embedded in real-world contexts. Students explore real-world situations that include joining two groups, decomposing a set into two groups, adding to a group, and taking from a group (see table with NC.K.OA.2). Kindergarten students listen to word problems, make sense of the information in the problem, what the problem is asking, and determine ways to solve the problem. In addition to posing word problems embedded in real-world contexts, the teachers' role is to pose questions to provide opportunities for students to share their thinking and strategies for solving word problems.
2.	Reason abstractly and quantitatively.	Mathematically proficient students in Kindergarten reason abstractly and quantitatively while working with multiple concepts. Students early in the year use written numerals and oral language to represent a specific quantity. For example, a student may write the numeral "11" to represent an amount of objects counted, select the correct number card "17" to follow "16" on the calendar, or build a pile of counters depending on the number drawn. In addition, Kindergarten students begin to draw pictures, manipulate objects, use diagrams or charts, etc. to express quantitative ideas such as a joining situation (Mary has 3 bears. Juanita gave her 1 more bear. How many bears does Mary have altogether?), or a separating situation (Mary had 5 bears. She gave some to Juanita. Now she has 3 bears. How many bears did Mary give Juanita?). Using the language developed through numerous joining and separating scenarios, kindergarten students begin to understand how symbols (+, -, =) are used to represent quantitative ideas in a written format.
3.	Construct viable arguments and critique the reasoning of others.	In Kindergarten, mathematically proficient students begin to clearly express, explain, organize and consolidate their math thinking using both verbal and written representations. Through opportunities that encourage exploration, discovery, and discussion, kindergarten students begin to learn how to express opinions, become skillful at listening to others, describe their reasoning and respond to others' thinking and reasoning. They begin to develop the ability to reason and analyze situations as they consider questions such as, "Are you sure?", "Do you think that would happen all the time?", and "I wonder why?"
4.	Model with mathematics.	Mathematically proficient students in Kindergarten begin to experiment with representing real-life problem situations in multiple ways such as with numbers, words (mathematical language), drawings, objects, acting out, charts, lists, and number sentences. For example, when making toothpick designs to represent the various combinations of the number "5", the student writes the numerals for the various parts (such as "4" and "1") or selects a number sentence that represents that particular situation (such as 5 = 4 + 1)*.
5.	Use appropriate tools strategically.	In Kindergarten, mathematically proficient students begin to explore various tools and use them to investigate mathematical concepts. Through multiple opportunities to examine materials, they experiment and use both concrete materials (e.g. 3-dimensional solids, connecting cubes, ten frames, number balances) and technological materials (e.g., virtual manipulatives, calculators, interactive websites) to explore mathematical concepts. Based on these experiences, they become able to decide which tools may be helpful to use depending on the problem or task. For example, when solving the problem, "There are 4 dogs in the park. 3 more dogs show up in the park. How many dogs are in the park?", students may decide to act it out using counters and a story mat; draw a picture; or use a handful of cubes.

6.	Attend to precision.	Mathematically proficient students in Kindergarten begin to express their ideas and reasoning using words. As their mathematical vocabulary increases due to exposure, modeling, and practice, kindergarteners become more precise in their communication, calculations, and measurements. In all types of mathematical tasks, students begin to describe their actions and strategies more clearly, understand and use grade-level appropriate vocabulary accurately, and begin to give precise explanations and reasoning regarding their process of finding solutions. For example, a student may use color words (such as blue, green, light blue) and descriptive words (such as small, big, rough, smooth) to accurately describe how a collection of buttons is sorted.
7.	Look for and make use of structure.	Mathematically proficient students in Kindergarten begin to look for patterns and structures in the number system and other areas of mathematics. For example, when searching for triangles around the room, kindergarteners begin to notice that some triangles are larger than others or come in different colors- yet they are all triangles. While exploring the part-whole relationships of a number using a number balance, students begin to realize that 5 can be broken down into sub-parts, such as 4 and 1 or 4 and 2, and still remain a total of 5.
8.	Look for and express regularity in repeated reasoning.	In Kindergarten, mathematically proficient students begin to notice repetitive actions in geometry, counting, comparing, etc. For example, a kindergartener may notice that as the number of sides increase on a shape, a new shape is created (triangle has 3 sides, a rectangle has 4 sides, a pentagon has 5 sides, a hexagon has 6 sides). When counting out loud to 100, kindergartners may recognize the pattern 1-9 being repeated for each decade (e.g., Seventy-ONE, Seventy-TWO, Seventy-THREE Eighty-ONE, Eighty-TWO, Eighty-THREE). When joining one more cube to a pile, the child may realize that the new amount is the next number in the count sequence.



### **Counting and Cardinality**

<ul> <li>Know number names and the counting sequence.</li> <li>NC.K.CC.1 Know number names and recognize patterns in the counting sequence by: <ul> <li>Counting to 100 by ones.</li> <li>Counting to 100 by tens.</li> </ul> </li> </ul>		
Clarification	Checking for Understanding	
<ul> <li>In this standard, students rote count by starting at one and counting to 100.</li> <li>When counting by ones, students need to understand that the next number in the sequence is one more.</li> <li>When students count by tens they are only expected to master</li> </ul>	Start at 1 and count by ones. Note: Students should be able to count correctly to 100 by ones without skipping numbers, repeating numbers, or hesitating.	
counting on the decade (0, 10, 20, 30, 40). Students need to understand that the next number in the sequence is "ten more" (or one more group of ten).	Start at 10 and count by tens. Note: Students should be able to count correctly to 100 by tens without skipping numbers, repeating numbers, or hesitating.	
The focus of this standard is on discovering patterns in the number sequence to count. While this standard does not involve the recognition of numerals or writing numerals, students who are not yet able to independently demonstrate these skills may benefit from visuals with numbers printed on them such as a number path or a hundreds board (chart).		
Example of a Number Path to Support Counting within 10:         1       2       3       4       5       6       7       8       9       10		

Know number names and the counting sequence.			
NC.K.CC.2 Count forward beginning from a given number within the known sequence, instead of having to begin at 1.			
Clarification	Checking for Understanding		
In this standard, students count forward within 100 from a number other than one without having to go back and start at one. This skill is a prerequisite skill for counting on when students begin to work with addition.	Start at 18 and count by ones until I tell you to stop. Note: Students should be able to count correctly starting at the given number without skipping numbers, repeating numbers or hesitating.		
While this standard does not involve the recognition of numerals or writing numerals, students who are not yet able to independently demonstrate these skills may benefit from visuals with numbers printed on them such as a number path or a hundreds board (chart).	Start at 42 and count by ones until I tell you to stop. Note: Students should be able to count correctly starting at the given number without skipping numbers, repeating numbers or hesitating.		



Know number names and the counting sequence.			
NC.K.CC.3 Write numbers from 0 to 20. Represent a number of objects with a	written numeral 0-20, with 0 representing a count of no objects.		
Clarification	Checking for Understanding		
<ul> <li>This standard calls for students to recognize and write numerals 0-20.</li> <li>When shown a set with 20 or fewer objects, students count the objects (NC.K.CC.5) and then record the quantity by writing the numeral</li> <li>If students are not yet able to write the numeral, students may select the appropriate number card/tile (numeral recognition).</li> <li>When given a numeral, students create a set of items to represent the numeral presented.</li> </ul>	As the teacher says a number aloud, the student records the written numeral: 379524 $c79524$ After counting a set of 19 objects, the student is asked to record the numeral that represents the quantity. The student records the written numeral "19".		
Due to variations in the development of students' fine motor and visual skills, the reversal of numerals is anticipated and acceptable as long as it does not affect place value. While reversals should be pointed out to students and the correct formation of numbers should be integrated into math activities, the emphasis of this standard is on the use of numerals to represent quantities rather than the correct handwriting formation of the actual numeral itself. This standard places emphasis on numbers 0-20 and number writing should focus on that number range. The writing of teen numbers should be naturally integrated into the work with NC.K.NBT.1 as students compose and decompose teen numbers.			

#### Count to tell the number of objects.

NC.K.CC.4 Understand the relationship between numbers and quantities.

- When counting objects, say the number names in the standard order, pairing each object with one and only one number name and each number name with one and only one object (one-to-one correspondence).
- Recognize that the last number named tells the number of objects counted regardless of their arrangement (cardinality).
- State the number of objects in a group, of up to 5 objects, without counting the objects (perceptual subitizing).

Clarification	Checking for Understanding
This standard calls for students to demonstrate the relationship between numbers and a set of objects. Embedded within this standard are foundational concepts that teachers should attend to and look for as they provide frequent opportunities for kindergarten students to count. Pair each object with one and only one number name and only one number name and each number name with one and only one object (one-to-one correspondence).	<u>One-to-one correspondence and cardinality:</u> The student is given a tray of buttons and asked to count the set by pointing to each button and counting aloud. After counting, the teacher says, "How many buttons are in this set?" Then, the teacher rearranges the buttons (without adding to or taking from the set). The student is asked, "How many buttons are in the set now?"
Students implement correct counting behaviors by moving or pointing to one object at a time (one-to-one correspondence) and using one counting word for every object (synchrony/ one-to-one tagging). <u>Recognize that the last number named tells the number of objects (cardinality):</u> Students demonstrate the cardinality principle by counting objects in a set and understanding that the last number stated (8, 9, <b>10</b> ) represents the total number of objects: "There are <b>10</b> bears in this pile." Since an important goal for children is to count with meaning, it is important to have children answer the question, "How many?" after they count. Often, children who have not developed cardinality will count the amount again, not realizing that the <b>10</b> they stated means 10 objects in all.	Perceptual subitizing: The student is shown a "quick image" card for only 2-3 seconds and asked to tell "how many" without counting each object. The student instantly recognizes the quantity and states the number (perceptual subitizing). Steps are repeated with additional cards.
One-to-one correspondence and cardinality are higher-level skills, which require students to analyze, reason about, and explain relationships between numbers and sets of objects. The expectation is that students are proficient with these skills (with numbers 1-20) by the end of kindergarten.	
Ins standard expects students to quickly ten now many objects are in a group by looking at an arrangement of dots, counters, or objects in a set of 5 or fewer objects. Perceptual subitizing is a crucial early skill in Kindergarten that comes before conceptual subitizing (K.OA.6) and the work of composing and decomposing numbers (K.OA.3, K.OA.4). Perceptual subitizing strengthens students' ability to efficiently and flexibly determine "how many" when working with larger sets and supports work with composing and decomposing quantities (Clements, 1999). Perceptual subitizing is also a precursor to place value (e.g., groupings of tens) as it gives students the opportunity to see a collection of items as a unit, rather than individual items.	

#### Count to tell the number of objects.

NC.K.CC.5 Count to answer "How many?" in the following situations:

- Given a number from 1–20, count out that many objects.
- Given up to 20 objects, name the next successive number when an object is added, recognizing the quantity is one more/greater.
- Given 20 objects arranged in a line, a rectangular array, and a circle, identify how many.
  Given 10 objects in a scattered arrangement, identify how many.

### Count to tell the number of objects.

NC.K.CC.5 Count to answer "How many?" in the following situations:
Given a number from 1–20, count out that many objects.

- Given up to 20 objects, name the next successive number when an object is added, recognizing the quantity is one more/greater.
- Given 20 objects arranged in a line, a rectangular array, and a circle, identify how many.

• Given 10 objects in a scattered arrangement, identify how many.

Clarification	Checking for Understanding
Given up to 20 objects, name the next successive number when an object is added, recognizing the quantity is one more/greater This aspect of the standard calls for students to first determine how many objects are in a set. Then, when asked, "how many would there be if we added one more?" students are expected to orally tell or write that number. Initially, a number path to 20 or the first 2 rows of a hundreds chart (20s chart) may provide a visual of the numbers to help students. This aspect of the standard intersects NC.K.CC.2 since students are asked to count on from a given number. As a result, the expectation is for students to eventually mentally name or write the number that would come next if one more object were added to a set. This aspect of the standard is also foundational to addition (NC.K.OA.1) as students begin adding 1 to an existing set of objects.	Name the Next Successive Number: The teacher adds one more object to the set of 15, and asks, "How many are there now?" Rather than re-counting the entire set, the student says the next number in the counting sequence16.
The Arrangement of Objects that Students Count The last two aspects of this standard call for students to be counters, which means that students are given a set of objects and must determine how many there are. Developmentally, it is easier for students to touch objects and move them to a different location regardless of the arrangement (Richardson, 2012).	The Arrangement of Objects that Students Count         The teacher makes an arrangement of counters like the picture below.         The student counts the 15 objects by touching them one at a time.
When students are only touching (and not moving) objects it is easier if objects are arranged in a line or circle. The next easiest arrangement is a rectangular array. In kindergarten, students are expected to accurately count a set of up to 20 objects arranged in a line, rectangular array, and circle without moving the objects. Teachers should attend to students' individual counting behaviors and use that data to provide meaningful counting experiences.	The teacher makes an arrangement of counters like the picture below. The student counts the 8 objects by touching them one at a time.
It is more challenging if students count by only touching (and not moving) objects that are in a scattered arrangement. As a result, kindergarten students are only expected to count up to 10 objects that are in a scattered arrangement.	

**Compare numbers.** NC.K.CC.6 Identify whether the number of objects, within 10, in one group is greater than, less than, or equal to the number of objects in another group, by using matching and counting strategies.

Clarification	Checking for Understand	ling	
This standard calls for students to use their counting skills (NC.K.CC.4, NC K CC.5) to count two sets and then compare them to determine if one set	Students are given a set of	f triangles and a set of squa	ares. They are asked to
is greater than, less than, or equal to the number of objects in the other	ind which set has more.		
group. Similar to NC.K.CC.4 and NC.K.CC.5, students should have ample	Possible responses:		
opportunities to count and compare concrete objects and manipulatives.	Student A Matching	Student B	Student C
An important goal of this standard is to develop comparison language:	I lined up one square	I put them in a pile. I	I counted the squares
more/greater, less/fewer, and equal/same amount. This language supports	and one triangle. Since	then took away objects.	and I got 4. Then I
standards in successive grades where students are asked, "How many more?" and "How many less?" Students are not expected to know and use	there is one extra triangle, there are more	Every time I took a square. I also took a	counted the triangles and got 5. Since 5 is
the symbols >, <, and = until first grade.	triangles than squares.	triangle. When I had	bigger than 4, there are
		taken almost all the	more triangles than
		was still a triangle left.	Squares.
		That means that there	
		are more mangles man squares.	
		,	
	Grab a handful of counters	and place them above the	line. Put five counters
	or equal to 5? How do you	know?	ne greater than, less than,
	*This task should be repea	ted multiple times.	
	Possible Responses		
	Student A: (see picture	e) Mhan Llinad tham up tha lin	no of 5
	was longer so that mea	ans that the number 4 is les	ss than
	5.		
	Student B:		
	When I count forward I	say 4 before 5 so 4 is less	than 5.

Compare numbers NC.K.CC.7 Compare two numbers, within 10, presented as written numerals				
Clarification	Checking for Understanding			
Students apply their understanding of numerals 1 to 10 to compare one numeral to another. For example, looking at the numerals 8 and 10, a student can recognize that the numeral 10 represents a larger amount than the numeral 8. Students need ample experience with actual sets of objects (NC.K.CC.3 and NC.K.CC.6) before completing this standard with only numerals. The number path may also be a useful representation when comparing two numerals as the larger number is the farthest from 1.	When shown two numerals, the student determines which is greater or if they are both equal.			
1 2 3 4 5 6 7 8 9 10	Student A: T say 8 after I say 5 when I count forward so 8 is greater than 5. Student B: 8 is close to 10 and 5 is farther away. So 8 is greater than 5. Student C: 5 is closer to 0 than 8 so 8 is greater than 5.			



NC.K.OA.1 Represent addition and subtraction, within 10:

- Use a variety of representations such as objects, fingers, mental images, drawings, sounds, acting out situations, verbal explanations, or expressions.
  Demonstrate understanding of addition and subtraction by making connections among representations.

Clarification		Checking for Understanding
This standard focuses on how students rep	esent addition and subtraction	Lilly has two pieces of red candy and three pieces of green candy. How many
problems, which includes word problems.	esearch strongly suggests that	pieces of candy does Lilly have?
students benefit from exploring, representing	g (NC.K.OA.1), and solving	Dessible response:
addition and subtraction (van de Walle et a		Teacher: How did you solve this
	, 2019).	problem?
This standard calls for students to show the	r work and represent addition and	Student: I drew two red candies and
subtraction situations in multiple ways with	a focus on the use of concrete	three green candies. I put them together
objects (manipulatives). Addition should be	seen as an extension of counting	to see how many pieces of candy Lilly
forward as two sets are joined together. Me	anwhile subtraction should be	has (Student representation and
seen as an extension of counting backware	s as an object or objects are	explanation is NC.K.OA.1).
removed from an existing set. These ideas	can even be explored by students	Teacher: What was your answer?
early in the year with counting activities (Ri	hardson, 2012). The table below	Student states: My answer was 5 since I
describes connections between the countin	g standards and addition and	joined 2 and 3 together (NC.K.OA.2).
subtraction concepts.		
Connections between Counting Addition a	d Subtraction	Ana had 7 hair bows. She gave 2 of them to Lisa. How many does she have
Addition	Subtraction	Possible Response:
The teacher says <i>"There</i>	re The teacher says <i>"There</i>	Student A: I put 7 counters on a number path. I then took 2 of them away
4 dogs in the park. Can vo	are 4 dogs in the park. Can	and noticed that the last counter is on 5 (NC.K.OA.2). So, the answer is 5
show that with your	you show that with your	(NC.K.OA.1)
counters?"	counters?"	
The teacher says, "Then 1	The teacher says, "Then 1	
more dog shows up. How	of the dogs leaves. How	
many dogs are there now?	many dogs are there now?"	
NC.K.CC.4 Students represent the start number (4) correctly. Students correctly count the answers correctly.		Student B: Lout 7 fingers up. Ltook 2 away and counted the 5 that were
		left (NC K OA 1) The answer is 5 (NC K OA 2)
NC.K.CC.5		
NC.K.OA.1 Students represent the problem correctly with counters.		
NC.K.OA.2 Students find the answer v	th an accurate representation.	

NC.K.OA.1 Represent addition and subtraction, within 10:

Use a variety of representations such as objects, fingers, mental images, drawings, sounds, acting out situations, verbal explanations, or expressions.
 Demonstrate understanding of addition and subtraction by making connections among representations.

Clarification	Checking for Understanding
<u>Uses a variety of representations</u> In kindergarten students should begin this work with ample opportunities representing joining (addition) and taking away (subtraction) situations with concrete objects. Visual structures such as a number path or a ten frame may support this work. Students can also initially represent addition and subtraction situations using their fingers and acting out situations. Students' work should transition towards paper-based representations such as drawings.	
This standard is focused on understanding the concept of addition and subtraction, rather than reading and solving addition and subtraction number sentences (equations). Therefore, before introducing symbols $(+, -, =)$ and equations, kindergarteners require numerous experiences using addition and subtraction vocabulary in order to attach meaning to the various symbols. For example, when explaining a solution, kindergartens may state, " <i>Three and</i> two <i>is the same amount as</i> 5." While the meaning of the equal sign is not introduced as a standard until first grade, if equations are going to be modeled and used in kindergarten, students must connect the symbol (=) with its meaning (is the same amount/quantity as).	
<u>Making Connections Among Representations</u> This aspect of the standard calls for students to make connections among various representations for the same problem. For example, students may solve the problem, "There are 6 birds in the tree and 2 fly away. How many are there now?" If students have the opportunity to choose their strategy and representation, a follow-up discussion with a class or a small group table may include opportunities for students to compare and contrast the various representations to explain how they are similar and how they are different.	

NC.K.OA.2 Solve addition and subtraction word problems, within 10, using objects or drawings to represent the problem, when solving:
 Add to/Take From-Result Unknown

- Put Together/ Take Apart (Total Unknown and Two Addends Unknown)

Cla	rification		Checking for Understanding
Stu	dents apply their work fi	rom NC.K.OA.1 in this Standard. Research	Take From – Result Unknown Problem (Scaffolded with Multiple Reads
strongly suggests that students benefit from exploring, representing		ents benefit from exploring, representing	<u>Strategy</u> ):
(NC	.K.OA.1), and solving (I	NC.K.OA.2) word problems together when	Teacher: I am going to read a word problem to you. Here is the beginning of the
dev	eloping an understandir	ng of addition and subtraction (van de Walle et al.,	problem:
201	<ol><li>Students should alw</li></ol>	ays create representations of word problems.	Nine grapes were in a bowl. Tom ate 3 grapes.
			Teacher: Turn and talk to your partner/table and tell them what this problem is
Туре	es of Word Problems		about.
Kinc	ergarten students work	with four problem types (see chart: Kindergarten	Students talk for 30-45 seconds.
Prol	olem Types). The first tw	vo problem types involve an action where	Teacher: I am going to reread the problem to you.
som	ething is physically add	ed to or taken from the starting amount. The last	Nine grapes were in a bowl. Tom ate 3 grapes.
two	problem types do not in	volve an action. Instead, students work with	Teacher: What are some numbers that we heard? (9 and 3)
part	part-whole relationship	S.	Teacher: What does the 9 mean? (We had 9 grapes in a bowl)
			Teacher: What does the 3 mean? (Tom ate 3 grapes)
	Ki	ndergarten Problem Types	Teacher: What is a math question that we can explore? (How many grapes are
		Two hunnies sat on the grass. Three more hunnies	
		hopped there. How many huppies are on the grass	leacher: Use your math tools and work with your partner/table and find out how
	Add To-	now?	many grapes are left? Make sure you can explain what you did with your math
	Result Unknown		tools.
	-	2 + 3 = ?	Note: Math tools could include manipulatives with support from number paths or
	tio		ten trames or drawings on paper. Students should have freedom to choose now
	Ac	Five apples were on the table. I ate two apples. How	to represent and solve these problems without teacher-directed instruction.
	Take From-	many apples are on the table now?	Dessible Despenses
	Result Unknown	5 2 - 2	Possible Responses.
		5-2-i	Student A. Tasabar: Haw did you salva
		Three red apples and two green apples are on the	the problem?
	Put Together/Take	table. How many apples are on the table?	Student: Lout 9 counters on a
	Apart-Total		number nath. Then I took 3
	Unknown	3 + 2 = ?	off I then counted the ones left and there was 6
	c		Teacher: How many grapes are left?
;	tio	Grandma has five flowers. How many can she put in	Student: There are 6 grapes left since 9 take away 3 is 6
		her red vase and how many in her blue vase?	
	Put logether/lake		Student B
	Addends Unknown	5 = 0 + 5, 5 = 5 + 0 5 = 1 + 4, 5 = 4 + 1	Teacher: How did you solve the problem?
	Addenus Onknown	5 = 2 + 3, $5 = 3 + 2$	Student: I put 9 counters on a ten
			frame. I then flipped 3 from red to vellow
			to show the ones that he ate.
			Teacher: How many grapes are left?

NC.K.OA.2 Solve addition and subtraction word problems, within 10, using objects or drawings to represent the problem, when solving:
 Add to/Take From-Result Unknown

- Put Together/ Take Apart (Total Unknown and Two Addends Unknown)

Clarification	Checking for Understanding	
Similar to NC.K.OA.1, initial work should focus on students representing and solving word problems with concrete objects (manipulatives). Visuals such as a number path or a ten frame can help provide a structure to support students. Eventually, students will transition to using drawings, numbers, and words to represent their work.	Student: There are 6 red counters w Student C: Teacher: How did you solve the prol Student: I drew 9 grapes and crosse them. There are 6 grapes left.	which means there are 6 grapes left. blem? ed out 3 of
Avoid keyword strategies Students should be asked to explain how they know why they are adding or subtracting based on the action of the word problem. Keyword strategies should not be used at any time in elementary school since they cause a dependence on specific words that do not always line up to that operation in second grade and later grades. As a result, teachers should consistently ask, "What is the action in this problem?" and "What number are we trying to find out?" For a complete chart of problem types, see page 33.	Put Together/Take Apart – Both Addend Bobby Bear is missing 5 buttons on his j blue and red buttons to give Bobby Bear show your work. Possible responses: I made five with one red button and four blue buttons. Then I did two blue and three red. Then I did one blue and four red.	<text><text><text></text></text></text>

Return to Standards



**NC.K.OA.3** Decompose numbers less than or equal to 10 into pairs in more than one way using objects or drawings, and record each decomposition by a drawing or expression.

Clarification	Checking for Understanding	
In this standard, students decompose (break apart) numbers less than or equal to 10 into two addends in multiple ways. All of this work should be done with objects or drawings, and each decomposition should be represented with either drawings, a verbal expression, or when students are ready, a written	There are 9 books. Some of them are on the shelf on the right. How could the boo numbers to show your work.	h the shelf on the left and some are on ks be arranged? Use a drawing or
expression. The focus of this standard is that a number can be broken into different pairs of two smaller numbers. For example, 5 can be decomposed into 5 and 0, 4 and 1, or 3 and 2. In this standard, students see the total (or whole) and both of the parts. Any activity that involves a hidden or missing part aligns to NC.K.OA.4. <u>Benefit of Objects (Manipulatives) and Contextualized Word Problems</u> Students should create representations with objects (manipulatives) or drawings of their problems. Students should have multiple experiences exploring how a number can be broken into two smaller numbers using objects such as 2-color counters or breaking up snap cubes. This standard intersects with NC.K.OA.2 and the both addends unknown problem type. Research strongly suggests that students benefit from exploring (NC K OA 1) and existing (NC K OA 2) word problems.	Possible responses: Student A: Creates a list of partners of 9	Student B:
exploring, representing (NC.K.OA.1), and solving (NC.K.OA.2) word problems together when developing an understanding of composing (NC.K.OA.4) or decomposing numbers (NC.K.OA.3) (van de Walle et al., 2019). <u>Relationship between Decomposing Numbers and Fluency</u> By the end of the year kindergarten students are expected to fluently add or subtract within 5 (NC.K.OA.5), which means that they should be to able to recall from memory all of the ways to decompose numbers that are 5 or less into 2 equal addends within 5 seconds. Students do not need to demonstrate fluency with numbers between 5 and 10 until the end of Grade 1. When developing students' fluency, flashcards and other activities, such as the repetitive writing of number bonds and equations, are not as effective as math games and activities that promote students' work with the relationships between numbers (Kling & Bay-Williams, 2020). As students use concrete objects and drawings to explore these relationships, they discover all of the pairs or "partners" that compose a number. Through these experiences, students discover number relationships and begin to internalize addition/subtraction facts and develop fluency.	There are 8 flowers in the vase. Some and many of each color flower could there be Possible Responses: Student A: I used 2 color counters and put a pin and 0. I then flipped 1 from red to ye from red to yellow to get 6 and 2. I Teacher: How would you write those Student writes: : 8 = 8 + 0 8 = 7 + 1 8 = 6 + 2 8 = 5 + 3	re pink and some are purple. How ? Find at least 4 correct answers. We of 8 out that were all red. That is 8 ellow to get 7 and 1. I flipped 1 more flipped one more to get 5 and 3. e as expressions?

**NC.K.OA.3** Decompose numbers less than or equal to 10 into pairs in more than one way using objects or drawings, and record each decomposition by a drawing or expression.

Learning and Writing Symbols and Equations       Student B:         In kindergarten, students need ample experiences breaking apart numbers and using the vocabulary "and," "joined with" and "same amount as" before symbols (+, =) and equations (5 = 3 + 2) are introduced. If equations are       Student B:         In kindergarten, students need ample experiences breaking apart numbers and using the vocabulary "and," "joined with" and "same amount as" before symbols (+, =) and equations (5 = 3 + 2) are introduced. If equations are       Student B:	Clarification	Checking for Understanding
used, a mathematical representation (picture, objects) needs to be present as well. Note: Since this problem is in context, reversals (5+3 and 3+5) count as different solutions since it could be 5 purple and 3 pink OR 3 purple and 5 pink.	Learning and Writing Symbols and Equations In kindergarten, students need ample experiences breaking apart numbers and using the vocabulary "and," "joined with" and "same amount as" before symbols (+, =) and equations (5 = 3 + 2) are introduced. If equations are used, a mathematical representation (picture, objects) needs to be present as well.	Student B: I drew 8 flowers on paper. I made 5 purple and 3 pink. Then I thought about making 1 more purple which would make 6 purple and 2 pink and then 7 purple and 1 pink and then 8 purple and 0 pink. Where the purple and 1 pink are the purple and 0 pink. Note: Since this problem is in context, reversals (5+3 and 3+5) count as different solutions since it could be 5 purple and 3 pink OR 3 purple and 5 pink.

Return to <u>Standards</u>



**NC.K.OA.4** For any number from 0 to 10, find the number that makes 10 when added to the given number using objects or drawings, and record the answer with a drawing or expression.

This standard calls for students to         make a group of 10 when given a         number between 0 and 10. Similar to         NCK.CA.3, all of students work         should be down with either drawings         ord rawings, and each decomposition         nowled perform with either drawings         or a webal expression or when         students are ready, an equation. Whith         Nowledge of the total and both         addend's students are ready, an equation. Students         nowledge of the total and both         addend's students are         given the total (10) and one of the         parts.         Benefit of Objects (Manipulatives) and         Students should haves oreate         representations with objects         (mainpulatives) or drawings of their         problems. Students students are apolyoning how         as 2-color counters to rayings         Similar to NC K OA.3 in standard         should be contextualized in word         problems. Research strongly suggests         Ratification of NC K, OA.3 in moders and booff         as 2-color counters to piloring         students benefit from exploring,         research strongly suggests         research strongly suggests         reacher asks, "How many yellow counters di you counters. </th <th>Clarification</th> <th>Checking for Understanding</th>	Clarification	Checking for Understanding
PeriodBenefit of Objects (Manipulatives) and Contextualized Word Problems. Students should always create representations with objects (manipulatives) or drawings of their problems. Students should have multiple experiences exploring how a number can be broken into two smaller numbers using objects such as 2-color counters or snap cubes.How Many Yellow Counters? Task Materials: 10 Counters Teacher provides students with a group of two-color counters. The group should have 10 counters. Teacher says, "Drop your counters onto this paper." Teacher says, "I want you to gather and count all of the red counters while I get all of the yellow counters." Teacher says, "I want you to gather and count all of the red counters while I get all of the yellow counters." Teacher says, "How many red counters did you count? Teacher asks, "How many yellow counters do we have?" Teacher asks, "Explain how you found the number of yellow counters." Note: If students need to count the yellow counters." Note: If students need to count the yellow counters. Teacher should attend to how students found the number of yellow counters: a. knew it without hesitation b. mental strategies within 7 seconds c. counted backward from 10 to the number of red colors to find the number of yellow counters	This standard calls for students to make a group of 10 when given a number between 0 and 10. Similar to NC.K.OA.3, all of students' work should be done with objects or drawings, and each decomposition should be shown with either drawings or a verbal expression or when students are ready, an equation. While NC.K.OA.3 provided students with knowledge of the total and both addends, NC.K.OA.4 is often thought of as a "missing part" or "missing addend" situation since students are given the total (10) and one of the parts	John has 6 beans. How many more beans does he need to have 10 beans? "I have 6 beans. I need 4 more beans to have 10 in all." A full case of juice boxes has 10 boxes. There are only 6 boxes in this case. How many juice boxes are missing? Possible responses: Student A: Using a Ten-Frame I used a ten frame for the case. Then, I put on 6 counters for juice still in the case. There's no juice in these 4 spaces. So, 4 are missing. Student B: Think Addition I counted out 10 counters because I knew there needed to be ten. I pushed these 6 over here because they were in the container. These are left over. So, there's 4 missing.
decomposing numbers (NC.K.OA.3) (van de Walle et al., 2019). f. other strategy.	parts. <u>Benefit of Objects (Manipulatives) and</u> <u>Contextualized Word Problems</u> Students should always create representations with objects (manipulatives) or drawings of their problems. Students should have multiple experiences exploring how a number can be broken into two smaller numbers using objects such as 2-color counters or snap cubes. Similar to NC.K.OA.3 this standard should be contextualized in word problems. Research strongly suggests that students benefit from exploring, representing (NC.K.OA.1), and solving (NC.K.OA.2) word problems together when developing an understanding of composing (NC.K.OA.4) or decomposing numbers (NC.K.OA.3) (van de Walle et al., 2019).	<ul> <li>How Many Yellow Counters? Task Materials: 10 Counters</li> <li>Teacher provides students with a group of two-color counters. The group should have 10 counters.</li> <li>Teacher provides students with a group of two-color counters. The group should have 10 counters.</li> <li>Teacher says, "Drop your counters onto this paper."</li> <li>Teacher says, "I want you to gather and count all of the red counters while I get all of the yellow counters."</li> <li>Teacher gathers the yellow counters.</li> <li>Teacher asks, "How many red counters did you count?</li> <li>Teacher asks, "How many yellow counters do we have?"</li> <li>Teacher asks, "Explain how you found the number of yellow counters."</li> <li>Note: If students need to count the yellow counters, give the student access to them.</li> <li>Teacher should attend to how students found the number of yellow counters: <ul> <li>a. knew it without hesitation</li> <li>b. mental strategies within 7 seconds</li> <li>c. counted forward from number of red counters to 10 to find the number of yellow counters</li> <li>d. counted backward from 10 to the number of red colors to find the number of yellow counters</li> <li>f. other strategy.</li> </ul> </li> </ul>

Understand addition and subtraction.		
Clarification	Checking for Understanding	
This standard calls for students to demonstrate fluency in addition and subtraction with all numbers 5 or less. Students who are fluent display accuracy (correct answer), efficiency (a reasonable amount of steps in about 3-5 seconds without resorting to counting), and flexibility (using strategies such as the commutative property) (Kling & Bay-Williams, 2020). In kindergarten, fluency with addition and subtraction combinations within 5 and the work with this standard intersects work where students decompose numbers (NC.K.OA.3) and conceptually subitize to look at multiple ways to quickly count and decompose a set into two groups (NC.K.OA.6). In order to fluently add and subtract, children must first be able to see subparts within a number (inclusion) and be able to decompose 5 in multiple ways. Fluency is best developed through multiple experiences with combinations of numbers within 5 focused on the concepts embedded in NC.K.OA.3 and NC.K.OA.6. Students are expected to demonstrate fluency with all addition and subtraction combinations within 5. Fluency includes accuracy, flexibility, and efficiency (Bay-Williams & SanGiovanni, 2021). These skills are developed through meaningful learning experiences with both perceptual subitizing (K.CC.4) and conceptual subitizing (K.OA.6). Skills related to counting on and counting backward have been shown to also promote fluency with addition and subtraction (Newton, 2016). Please note that traditional flash cards without visuals and/or timed tests have not been proven as effective instructional strategies for developing fluency (Bay-Williams & San Giovanni, 2021).	Note: Fluency should be assessed by giving students the opportunity to orally answer questions given to them by the teacher. Since equations are not expected to be mastered in kindergarten, students should not be asked to demonstrate fluency on written assessments that include equations. What is the answer when 3 is joined with 2? What is the answer when 4 is taken away from 5?	

Understand addition and subtraction.		
<b>NC.K.OA.6</b> Recognize and combine groups with totals up to 5 (conceptual sub	Checking for Understanding	
<ul> <li>Understand addition and subtraction.</li> <li>NC.K.OA.6 Recognize and combine groups with totals up to 5 (conceptual sub Clarification</li> <li>This standard calls for students to conceptually subitize groups of objects where the total number of objects is 5 or less.</li> <li>This standard is connected to, yet different from NC.K.CC.4 where students perceptually subitize, as they "instantly see" a set of up to five objects without using other mental processes.</li> <li>Standard NC.K.OA.6 extends the work of NC.K.CC.4 as students notice the arrangements and patterns of dots (subgroups) within the whole set and use other mental processes to determine the whole quantity. For example, a student may instantly see part of the set and count on, or they may see two parts of the set and know the total amount.</li> <li>Students' skills and understanding related to conceptual subitizing develops from frequent and varied experiences counting sets of objects and noticing the patterns and arrangements within sets.</li> <li>K.OA.6 focuses on conceptual subitizing which focuses on quickly determining the total number of images or dots by combining (composing) groups as well as considering how to break the total number of images or dots into two smaller groups (decomposing). Activities that are aligned to this Standard as well as K.OA.3 help develop students' basic fact fluency with the addition and subtraction of numbers within 5 (K.OA.5).</li> <li>This Standard is limited to 5 objects or less because the Standard calls for students to quickly state the number of objects in a picture through composing.</li> </ul>	Itizing).         Checking for Understanding         "Quick Image" Task: Teacher displays a dot card for 4-5 seconds and asks students to find the quantity without counting each dot individually.         Image: Task: Teacher displays a dot card for 4-5 seconds and asks students to find the quantity without counting each dot individually.         Image: Student A: I see two and one. I know that makes three.         Student A: I see two and one. I know that makes three.         Student B: I saw two. Then, I said "three" because that's one more.         Steps are repeated with additional dot cards.         Image: The teacher displays a dot card and asks students to find "how many" without counting each individual dot. Students explain how they found the quantity.         Possible responses:         Image: The saw 2 and 2. I know that makes 4."         Image: The saw 3. One more makes 4."         Image: The saw 3. One more makes 4."	
	"It looked like 4 on a die/dice, but one dot fell down."	
	Return to <u>Standards</u>	
Image: North Carolina Department of Since C		

### Number and Operations in Base Ten

Build foundation for place value.		
NC.K.NBT.1 Compose and decompose numbers from 11 to 19 into ten ones and some further ones by:		
Using objects or drawings.		
<ul> <li>Recording each composition or decomposition by a drawing or expression.</li> </ul>		
<ul> <li>Understanding that these numbers are composed of ten ones and one,</li> </ul>	two, three, four, five, six, seven, eight, or nine ones.	
Clarification	Checking for Understanding	
This standard calls for students to compose (build) and decompose (break	Sample Student Interview:	
apart) numbers from 11-19 into tens and some further ones using objects and	Teacher: "I have some chips here. Do you think they will fit on our ten frame?	
drawings.	Why? Why Not? Use your ten frame to investigate."	
	Student A: "There are too many to fit on the ten frame. Only 10 will fit!"	
Use of objects or drawings	Teacher: "So you have some leftovers?"	
Students should create their own representations using materials such as	Student A <sup>*</sup> "Yes I'll put them over here next to the ten frame "	
counters or snap cubes with the support of a ten frame or a double ten frame		
(two ten frames on the same piece of paper). Students should not use	leacher: "How many do you have in all?"	
worksheets with printed pictures or representations already created.	Student A: "One, two, three, four, five ten, eleven, twelve, thirteen,	
	fourteen. Thave fourteen. Ten fit on and four didn't."	
Recording each composition or decomposition by a drawing or expression	Student B: Pointing to the ten frame, "See, that's 10 11, 12, 13, 14.	
In kindergarten it is acceptable for students work with this standard to focus	There's fourteen."	
on students drawing pictures of teen numbers with the structure of a ten	Teachan I les vour recording chact (ar number contenes cords) te chou what	
Finance of by using oral expressions such as 10 and 5 more of 10 joined with	reacher. Use your recording sheet (or number sentence cards) to show what	
s to show their understanding that a teen number is a group of 10 with some		
more ones.	Sample Student Recording Shoets:	
Students can be introduced to equations but should not be expected to use	Sample Student Recording Sheets.	
number hands or equations to demonstrate the mastery of this Standard	All On Off	
Inderstanding that these numbers are composed of ten ones and some		
additional ones		
In kindergarten students should only be working with groupable manipulatives		
such as counters or snap cubes that can be combined or broken apart to	6 8 9 10 11	
show both 10 individual ones and a group of ten. Research shows that		
developmentally students are not able to independently demonstrate and	<u>14</u> is <u>10</u> on and <u>4</u> off.	
explain that a group of 10 ones has the same value of a pre-grouped	Based on the following phrases build the	
manipulative such as a base ten block until they have had multiple	number on the double ten frame and tell me	
experiences with grouping individual objects in kindergarten and Grade 1. As	what number you just built.	
a result, students' work with this standard should focus exclusively on using	a. 10 and 6 more	
counters and cubes on a ten frame to adequately build a foundation for their	a. 10 and 3 more	
work in Grade 1 (NC.1.NBT.2).	b. 4 more than 10	
	c. 10 and 7 more	

Build foundation for place value.

NC.K.NBT.1 Compose and decompose numbers from 11 to 19 into ten ones and some further ones by:

- Using objects or drawings.
- Recording each composition or decomposition by a drawing or expression.
  Understanding that these numbers are composed of ten ones and one, two, three, four, five, six, seven, eight, or nine ones.

Clarification	Checking for Understanding
	<ul> <li>Possible Response: Students have pictures that include 1 full ten frame and the remaining ones in the other ten frame.</li> <li>a. 16</li> <li>a. 13</li> <li>b. 14</li> <li>c. 17</li> </ul>



#### Measurement and Data

Describe and compare measurable attributes.		
NC.K.MD.1 Describe measurable attributes of objects; and describe several diff	erent measurable attributes of a single object.	
Clarification	Checking for Understanding	
This standard calls for students to describe an object's measurable attributes such as length, weight, and size. Students are expected to use words such as heavy/light, long/short, and big/small to describe these attributes. Additionally, students will describe a single object using more than one measurable attribute. For example, a student may describe a shoe with one attribute, "My shoe is heavy!", or more than one attribute, "This shoe is heavy and it is really long."	Show student a feather and a heavy book (e.g., dictionary). Allow student to examine each object. Say: Tell me about the weight of the feather. Tell me about the weight of the book. Student: The feather is light. It's easy to lift. The book is heavy. I need my muscles to lift it	
Initially, students may not have developed undifferentiated views about the size of objects; for example, a student may believe that an object is "bigger" or "smaller" based on a single attribute. Additionally, a student may state that one book is bigger than another because it is longer. In reality, the other book may be wider and heavier. Through experiences and conversations about those experiences, students will learn to discriminate and name these specific measurable attributes. Kindergarten students are not expected to measure objects with standard or non-standard units.	Display two block towers. Say: We've been using measurement words to describe objects in our classroom. Use some measurement words to tell me about this tower (point to bigger tower). Student A: This tower is tall and big. Student B: That tower is long, and it looks heavy!	
	Distance to Oten dende	

Describe and compare measurable attributes. NC.K.MD.2 Directly compare two objects with a measurable attribute in common, to see which object has "more of"/"less of" the attribute, and describe the difference.

Clarification	Checking for Understanding
In this standard, students will make direct comparisons of attributes that can be measured, such as length, weight, and size. Direct comparisons are made	Find an object in our classroom that is shorter than this straw. Find an object that is longer than this straw.
when objects are put next to each other (e.g., the height of two children, the length or width of two books, the length of two pencils). Students must be able to move the objects next to each other to compare their lengths or hold them to	Possible responses:
compare weights.	Student A: A crayon is shorter than the straw, and a pencil is longer. I know
As kindergarten students continually compare objects by length, they discover the importance of lining up the ends of objects in order to have an accurate measurement.	because I lined their ends up. The crayon didn't stick out as much as the straw, so it's shorter. The pencil stuck out more than the straw, so it's longer.
For example: A student lines up two blocks and says, "The black block is a lot longer than the white one."	Student B: This block is shorter than the straw. I know because I stood the straw up next to the block. The straw was longer, so the block was shorter.
A student picks up two books and says, "The red book is heavier than the blue book," or "The red book is bigger than the blue book."	S

Return to <u>Standards</u>

Classify objects and count the number of objects in each category.			
Clarification	Checking for Understanding		
<ul> <li>Clarification</li> <li>This standard calls for students to integrate sorting and data analysis and counting (NC.K.CC.4 and NC.K.CC.5). Students are expected to first sort and classify objects into distinct categories (e.g., colors, size, shape, etc.) and then count the number of objects in each category. The sets in each category should be limited to less than or equal to 10.</li> <li>The process of sorting objects into categories is a foundational aspect of data which will be extended in future years (Clements &amp; Sarama, 2020). Students should sort concrete objects (manipulatives), such as pattern blocks, snap cubes, or other objects. Research supports the idea of letting students explore different ways to sort a collection of objects which may result in Kindergarten learners sorting a collection into three or four separate groups.</li> <li>For example: A student separates buttons into different piles based on color (all the blue buttons are in one pile, all the orange buttons are in a different pile, etc.).</li> <li>Then the student counts the number of buttons in each pile: blue (5), green (4), orange (3), purple (4).</li> <li>Finally, the student organizes the groups by the quantity. "I put the purple buttons next to the green buttons because purple also had (4). Blue has 5 and orange has 3. There aren't any other colors that have 5 or 3. So they are sitting by themselves."</li> </ul>	Checking for Understanding Give the student a set of pattern blocks. Can you sort the pattern blocks? Possible response: A student chooses to sort the pattern blocks by putting all of the hexagons in one pile and non-hexagons in a different pile. "I put the hexagons together and there were 6 of them. I put the triangles, trapezoids, and 2 rhombuses together. There were 3 triangles, 2 trapezoids, and 2 rhombuses so there were 7 in that pile. There were 13 objects in total." Provide students with a set of pattern blocks. Say: Here is a set of blocks. Sort these blocks into groups. Tell me how you sorted them. Student A: I put the colors together. I put the green shapes here, the blue shapes here, the red shapes here, and the orange shapes over here. Student B: I put the shapes with 3 points in one group, and the shapes with 4 points in the other group.		



Identify and describe shapes.			
Clarification	Checking for Understanding		
In this standard, students describe objects in the environment using the names of shapes mentioned in NC.K.G.2 and NC.K.G.3. Students are expected to describe the relative positions of objects using positional terms such as above, below, beside, in front of, behind and next to. Students are not expected to master the concept of "to the left" and "to the right" in kindergarten.	Look around the classroom.         Where do you see a cone?         Show an example of a square?         What shape is the door?         Do you see a shape next to the door?         Teacher- "Let's fill out the grid with some shapes."         Put a circle in the top middle box.         Put a circle in the top middle box.         Put a circle in the top middle box.         Put a triangle under the circle.         Put a square next to the triangle.         Put a trapezoid under the square.         Put a rectangle next to the trapezoid.         Put a hexagon next to the rectangle.         Put a heart above the hexagon.         Possible Response:		

Identify and describe shapes.				
Clarification	offectiv fiame squares, circles, thangles, fectangles, fiexagons, cu	Checking for Understanding		
In this standard, students correctly name two-dimensional and three-dimensional shapes that are specifically listed in the standard. Students are expected to name shapes based on what they look like regardless of their orientation.		Two-Dimensional Shape Task: Identify each of these shapes:		
In Grade 1 students more formalize their understanding of attributes that define shapes. In kindergarten, students may begin to talk about shapes in terms of the number of sides, the number of points (vertices), as well as the description of what shapes look like. For example, students may say that a cube is solid and three-dimensional (NC.K.G.3) and the surfaces are all squares.				
The table below provides specific notes about the vocabulary and definitions related to shapes in kindergarten. This information is for teachers. Remember that the standard only expects students to name shapes and informally describe what they look like.				
Shape	Note for Teachers			
Two-Dimen	sional Shapes			
Squares	Squares are rectangles in which all four sides are the same length. Squares, like rectangles, have four corners that look like an uppercase L (square corners)	<u>Three-Dimensional Shape Task:</u> The teacher has a cube, cone, cylinder, and sphere.		
Circles	Circles have 1 curved surface and look "round." Circles are different from ovals. In Grade 1 students learn that all of the points on the curve of a circle are the same distance from the center of the circle which is not the case for an oval.	<ul> <li>The teacher says, "Please pick up the cube."</li> <li>The student picks up the cube.</li> <li>The teacher asks, "How do you know that is a cube?"</li> <li>Note: In Kindergarten students are only expected to informally describe characteristics of three-dimensional shapes.</li> </ul>		
Triangles	Triangles have three straight sides and three corners (vertices). In kindergarten students should see triangles with different orientations and different size angles. Developmentally, many children in kindergarten have the misconception that a triangle must look like the traditional triangle with a corner (vertex) at the top and a horizontal line at the bottom.			

<i>Identify and describe shapes.</i> NC.K.G.2 Correctly name squares, circles, triangles, rectangles, hexagons, cubes, cones, cylinders, and spheres regardless of their orientations or overall size.			
Clarification	······································	Checking for Understanding	
Rectangles	Rectangles and squares both have four straight sides and four corners that look like an uppercase L or as they are called in Grades 1-3 "square corners." The opposite sides are always the same length. Avoid saying "2 long sides and 2 short sides" since that is not always true.		
Hexagons	Hexagons have six straight sides.		
Three-Dime	nsional Shapes		
Cubes	Cubes are three-dimensional shapes that have 6 squares in them. No matter how a cube is oriented it will always slide.		
Cones	Cones are three-dimensional shapes that have 1 circle in them (face) and at the other end there is a point (vertex). If the circle is touching the table it will slide. If the curved surface is touching the table it will roll.		
Cylinders	Cylinders are three-dimensional shapes that have 2 circles in them (faces). If a circle is at the bottom of the shape it will slide. If the curved surface is at the bottom of the shape, then it will roll.		
Spheres	Spheres are three-dimensional shapes that look "round" no matter which way you look at it. Spheres roll.		

Identify and describe shapes.			
NC.K.G.3 Identify squares, circles, triangles, rectangles, hexagons, cubes, cones, cylinders, and spheres as two-dimensional or three-dimensional.			
Clarification	Checking for Understanding		
In this standard, students differentiate between two-dimensional and three-dimensional shapes for specific shapes that are listed in the standard. This includes sorting two- and three-dimensional shapes into different piles and explaining why specific shapes are in either the two- or the three-dimensional category.	The teacher gives some of these two-dimensional and three-dimensional shapes to students. Sort these figures in two categories: two-dimensional and three-dimensional. The teacher selects one shape from the two-dimensional and the three-dimensional group. Ask students, "Is this two-dimensional or three-dimensional? Explain why."		

Return to Standards



Analyze, compare,	create, a	and compose	shapes.
-------------------	-----------	-------------	---------

NC.K.G.4 Analyze and compare two- and three-dimensional shapes, in different sizes and orientations, using informal language to describe their similarities, differences, attributes and other properties.

Clarification	Checking for Understanding
In this standard, students are expected to compare two-dimensional shapes to each other and three-dimensional shapes to each other using informal language. Teachers should reference the table provided in NC.K.G.2. <u>Two-dimensional shapes</u> In kindergarten students are expected to count the number of sides and corners (vertices) that each shape has. Students should be able to point to the corner (vertex) as the point where two sides meet each other. Students should also be able to distinguish between shapes that are squares compared to rectangles where a square has four sides that are always the same length and rectangles have opposite sides that are always the same length. <u>Three-dimensional shapes</u> Faces of three-dimensional shapes           Faces of three-dimensional shapes           Faces of three-dimensional shapes           Faces of three-dimensional shapes           Inter-dimensional shapes           Faces of three-dimensional shapes           Faces of three-dimensional shapes           Inter-dimensional shapes	Compare these two shapes. How are they alike and how are they different? Possible response: Both shapes have straight sides. They both have corners and they are both two-dimensional. The hexagon has 6 sides. The square only has 4 sides. What do you notice about these three-dimensional shapes? Possible response: The sides of the cube are squares. I can tell it's a square because it has four sides that are the same size and four corners. I can see that the top and bottom of the cylinder are circles.
	Peturn to Standarde

## Analyze, compare, create, and compose shapes. NC.K.G.5 Model shapes in the world by:

- Building and drawing triangles, rectangles, squares, hexagons, circles.
  Building cubes, cones, spheres, and cylinders.

Clarification	Checking for Understanding
In this standard, students are expected to build and draw two-dimensional	Using the materials in front of you, build or draw a triangle (NC.K.G.5).
shapes and build three-dimensional shapes. This standard aligns with	The teacher follows up and asks. "How do you know that this shape is a
(NC.K.G.5) and then describe them using informal language (NC.K.G.4)	triangle?" (NC.K.G.4)
Two-dimensional shapes	Possible response:
Teachers should use discretion with kindergarten students about drawings	
that may have curved sides due to fine motor development.	
Students should be able to identify and point out the number of sides and	
corners (vertices) in these shapes.	
Students may use materials, such as toothpicks, popsicle sticks or Q-tips to create these shapes.	Lising the materials in front of you, build or draw a rectangle. (NC K G 5)
Three-dimensional shapes	The teacher follows up and asks, "How do you know that this shape is a
Students are expected to use materials to build these shapes. Modeling clay, tootholicks with dummy bears or marshmallows, or other materials can be	rectangle?" (NC.K.G.4)
made.	Possible response:
	Using the clay, create a sphere. (NC.K.G.5)
	The teacher follows up and asks, "How do you know that this shape is a sphere?" (NC.K.G.4)
	Possible response:
	l de la constante de la consta



## Analyze, compare, create, and compose shapes.

NC.K.G.6 Compose larger shapes from simple shapes.			
Clarification	Checking for Understanding		
In this standard, students form larger composite shapes from two or more simple shapes. The intent of this standard is to provide opportunities for students to create recognizable shapes that are listed in the kindergarten geometry standards. However, the use of shapes to solve shape puzzles or creatively make shape designs is also beneficial in kindergarten. Students should be able to describe the shapes they have composed using informal geometric terminology.	Using these triangles, can you create a different shape? <i>Possible response:</i> <i>While exploring with triangles, a student flips and turns the triangles to</i> <i>make a rectangle.</i>		
Students also combine shapes to build pictures. Pictures should be described using informal geometric terminology. Students should informally explore geometric motions (slides, flips, and turns) to create pictures and solve shape puzzles.			
<text></text>	Cover a Hexagon Materials: Pattern blocks (hexagon, triangle, rhombus, trapezoid) What are the different ways that you can use these pattern blocks to make a hexagon? Teacher follows up, "Can you describe how you made this hexagon?" <i>Possible Response:</i> Student: <i>I used six triangles. I had to turn a few of them to make them fit.</i>		



# **Addition/Subtraction Problem Types**

The grade level in the right corner of each problem type indicates the grade in which proficiency is expected.

		Result Unknown	Change Unknown	Start Unknown
Act	Add To	Two birds sat in a tree. Three more birds fly to the tree. How many birds are in the tree now? 2 + 3 = ?	Two birds sat in the tree. Some more birds flew there. Then there were five birds in the tree. How many birds flew over to the first two? 2 + ? = 5	In the moming, some birds were sitting in a tree. At lunch time, three more birds flew there. Then there were five birds. How many birds were in the tree in the moming? ? + 3 = 5
ion	Take From	Five birds were in a tree. Two birds flew away. How many birds are in the tree now? 5 - 2 = ?	Five birds were in a tree. Some flew away. Then there were three birds in the tree. How many birds flew away? 5 - ? = 3	In the morning, some birds were in a tree. At lunch time, two birds flew away. Then there were three birds left. How many birds were in the tree in the morning? ? - 2 = 3
			<u>د</u>	2
Total Unknown Addend Unknown Both Addends Unk			Both Addends Unknown	
No Action	Put Together/ Take Apart	Three red birds and two blue birds are in a tree. How many birds are in the tree? 3 + 2 = ?	Five birds are in a tree. Three are red and the rest are blue. How many birds are blue? 3 + ? = 5 5 - 3 = ?	Five birds are in a tree. They could either be blue birds or red birds. How many birds could be red and how could be blue? 5 = 0 + 5  5 = 5 + 0 $5 = 1 + 4  5 = 4 + 1$ $5 = 2 + 3  5 = 3 + 2$
		Difference Unknown	Bigger Unknown	Smaller Unknown
		"How many more?" version: Lara has two stickers. Jade has five stickers. How many more stickers does Jade have than Lara?	Version with "more": Jade has three more stickers than Lara. Lara has two stickers. How many stickers does Jade have?	Version with "more": Jade has three more stickers than Lara. Jade has five stickers. How many stickers does Lara have?
	Compare	"How many less?" version: Lara has two stickers. Jade has five stickers. How many fewer stickers does Lara have than Jade? 2+?=5 5-2=?	Version with "less": Lara has three fewer stickers than Jade. Lara has two stickers. How many stickers does Jade have? 2 + 3 = ? 3 + 2 = ?	Version with "fewer": Lara has three fewer stickers than Jade. Jade has five stickers. How many stickers does Lara have? 5 - 3 = ?