# Math 1 (A & B)

| Standards for Mathematical Practice | |
|---|---|
| 1. Make sense of problems and persevere in solving them.<br>2. Reason abstractly and quantitatively.<br>3. Construct viable arguments and critique the reasoning of others.<br>4. Model with mathematics | 5. Use appropriate tools strategically.<br>6. Attend to precision.<br>7. Look for and make use of structure.<br>8. Look for and express regularity in repeated reasoning |

| ***Standard Course of Study*** | | **Extended Content Standards** | |
|---|---|---|---|
| Number and Quantity | | | |
| The Real Number System<br>*Extend the properties of exponents to rational exponents.* | | | |
| **NC.M1.N-RN.2** | Rewrite algebraic expressions with integer exponents using the properties of exponents. | **NC.ECS.M1. N-RN.2** | . Determine the value of a quantity that is squared (up to 20) or cubed, (up to 10). |
| Algebra | | | |
| Seeing Structure in Expressions<br>*Interpret the structure of expressions.* | | | |
| **NC.M1.1.A-SSE.1** | Interpret expressions that represent | **NC.ECS.M1.** | Identify the different parts of the linear |

| | | | |
|---|---|---|---|
| | a quantity in terms of its context. | **ASSE.1** | expression (Ax +B) and explain their meaning within the context of a problem. |
| **NC.M1.1.A-SSE.1a** | Identify and interpret parts of a linear, exponential, or quadratic expression, including terms, factors, coefficients, and exponents. | | |
| **NC.M1.1.A-SSE.1b** | Interpret a linear, exponential, or quadratic expression made of multiple parts as a combination of entities to give meaning to an expression | | |
| Seeing Structure in Expressions<br>*Write expressions in equivalent forms to solve problems.* | | | |
| **NC.M1.A-SSE.3** | Write an equivalent form of a quadratic expression $ax$ 2 + $bx$ + $c$, where a is an integer, by factoring to reveal the solutions of the equation or the zeros of the function the expression defines. | **NC.ECS.M1. A-SSE 3** | Use the properties of operations to rewrite expressions. (Distributive, commutative, associative). |
| Arithmetic with Polynomial Expressions<br>*Perform arithmetic operations on polynomials.* | | | |
| **NC.M1.A-APR.1** | Build an understanding that operations with polynomials are comparable to operations with integers by adding and subtracting quadratic expressions and by adding, subtracting, and multiplying | **NC.ECS.M1. AAPR.1** | Add and subtract quadratic expressions. (2$x$ 2 + 3x - 1) - ($x$ 2 + 4$x$ − 2) |

| | | | |
|---|---|---|---|
| | linear expressions. | | |
| Arithmetic with Polynomial Expressions<br>*Understand the relationship between zeros and factors of polynomials.* | | | |
| **NC.M1.A-APR.3** | Understand the relationships among the factors of a quadratic expression, the solutions of a quadratic equation, and the zeros of a quadratic function | | |
| Creating Equations<br>*Create equations that describe numbers or relationships.* | | | |
| **NC.M1.A-CED.1** | Create equations and inequalities in one variable that represent linear, exponential, and quadratic relationships and use them to solve problems. | **NC.ECS.M1.ACED.1** | Use equations to solve problems using addition and subtraction with decimals when a part is unknown (e.g., a can of soda cost $0.75 and John has $0.50 how much more money does he need?). |
| **NC.M1.A-CED.2** | Create and graph equations in two variables to represent linear, exponential, and quadratic relationships between quantities. | | |
| **NC.M1.A-CED.3** | Create systems of linear equations and inequalities to model situations in context. | | |
| **NC.M1.A-CED.4** | Solve for a quantity of interest in formulas used in science and mathematics using the same reasoning as in solving equations. | | |

| | | | |
|---|---|---|---|
| | | | |
| Reasoning with Equations and Inequalities<br>*Understand solving equations as a process of reasoning and explain the reasoning.* | | | |
| **NC.M1.A-REI.1** | Justify a chosen solution method and each step of the solving process for linear and quadratic equations using mathematical reasoning. | **NC.M1.A-REI.1** | Explain each step in solving an equation. |
| Reasoning with Equations and Inequalities<br>*Solve equations and inequalities in one variable.* | | | |
| **NC.M1.A-REI.3** | Solve linear equations and inequalities in one variable. | **NC.ECS.M1.AREI.3** | Solve a three-step linear equation. |
| **NC.M1.A-REI.4** | Solve for the real solutions of quadratic equations in one variable by taking square roots and factoring. | | |
| Reasoning with Equations and Inequalities<br>*Solve systems of equations.* | | | |
| **NC.M1.A-REI.5** | Explain why replacing one equation in a system of linear equations by the sum of that equation and a multiple of the other produces a system with the same solutions. | | |
| **NC.M1.A-REI.6** | Use tables, graphs, or algebraic methods (substitution and elimination) to find approximate or | | |

| | | | |
|---|---|---|---|
| | exact solutions to systems of linear equations and interpret solutions in terms of a context. | | |
| Reasoning with Equations and Inequalities<br>*Represent and solve equations and inequalities graphically.* | | | |
| **NC.M1.A-REI.10** | Understand that the graph of a two variable equation represents the set of all solutions to the equation. | **NC.ECS.M1.AREI.10** | Understand that a graph represents the solutions to an equation. Interpret a point on a graph in context. |
| **NC.M1.A-REI.11** | Build an understanding of why the x-coordinates of the points where the graphs of two linear, exponential, and/or quadratic equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$ and approximate solutions using graphing technology or successive approximations with a table of values. | | |
| **NC.M1.A-REI.12** | Represent the solutions of a linear inequality or a system of linear inequalities graphically as a region of the plane. | | |
| Functions | | | |
| Interpreting Functions<br>*Understand the concept of a function and use function notation.* | | | |

| | | | |
|---|---|---|---|
| **NC.M1.F-IF.1** | Build an understanding that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range by recognizing that:<br>• if f is a function and x is an element of its domain, then $f(x)$ denotes the output of f corresponding to the input x.<br>• the graph of $f$ is the graph of the equation $y = f(x)$. . | **NC.ECS.MI. F-IF.1** | Build an understanding that a function occurs when each input (x) has only one output (y). Students recognize f(x) function notation. |
| **NC.M1.F-IF.2** | Use function notation to evaluate linear, quadratic, and exponential functions for inputs in their domains, and interpret statements that use function notation in terms of a context. | **NC.ECS.MI. F-IF.2** | Evaluate linear functions. |
| **NC.MI.F-IF.3** | Recognize that recursively and explicitly defined sequences are functions whose domain is a subset of the integers, the terms of an arithmetic sequence are a subset of the range of a linear function, and the terms of a geometric sequence are a subset of the range of an exponential function. | **NC.ECS.MI. F-IF.3** | Use patterns to solve problems (adding and multiplying). |
| Interpreting Functions<br>*Interpret functions that arise in applications in terms of the context.* | | | |

| | | | |
|---|---|---|---|
| **NC.M1.F-IF.4** | Interpret key features of graphs, tables, and verbal descriptions in context to describe functions that arise in applications relating two quantities, including: intercepts; intervals where the function is increasing, decreasing, positive, or negative; and maximums and minimums. | **NC.ECS.M1.FIF.4** | Given a graph of a linear function, identify the rate of change (slope) and intercepts. Identify whether the line is increasing or decreasing, and whether it has a positive or negative slope. |
| **NC.M1.F-IF.5** | Interpret a function in terms of the context by relating its domain and range to its graph and, where applicable, to the quantitative relationship it describes. | | |
| **NC.M1.F-IF.6** | Calculate and interpret the average rate of change over a specified interval for a function presented numerically, graphically, and/or symbolically. | **NC.ECS.M1.FIF.6** | Given two points on a line, identify the slope. |
| Interpreting Functions<br>*Analyze functions using different representations.* | | | |
| **NC.M1.F-IF.7** | Analyze linear, exponential, and quadratic functions by generating different representations, by hand in simple cases and using technology for more complicated cases, to show key features, including domain and range; rate of change; intercepts; intervals where the function is | **NC.ECS.M1.FIF.7** | Given a linear function, identify the slope and y intercept and graph the line. |

| | | | |
|---|---|---|---|
| | increasing, decreasing, positive, or negative; maximums and minimums; and end behavior. | | |
| **NC.M1.F-IF.8** | Use equivalent expressions to reveal and explain different properties of a function. | | |
| **NC.M1.F-IF.8a** | Rewrite a quadratic function to reveal and explain different key features of the function. | | |
| **NC.M1.F-IF.8b** | Interpret and explain growth and decay rates for an exponential function. | | |
| **NC.M1.F-IF.9** | Compare key features of two functions (linear, quadratic, or exponential) each with a different representation (symbolically, graphically, numerically in tables, or by verbal descriptions). | **NC.ECS.M1.FIF.9** | Given two graphs of linear functions compare the rates of change and initial values. |
| Building Functions<br>*Build a function that models a relationship between two quantities.* | | | |
| **NC.M1.F-BF.1** | Write a function that describes a relationship between two quantities. | | |
| **NC.M1.F-BF.1a** | Build linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two | | |

| | | | |
|---|---|---|---|
| | ordered pairs (include reading these from a table). | | |
| **NC.M1.F-BF.1b** | Build a function that models a relationship between two quantities by combining linear, exponential, or quadratic functions with addition and subtraction or two linear functions with multiplication. | | |
| **NC.M1.F-BF.2** | Translate between explicit and recursive forms of arithmetic and geometric sequences and use both to model situations. | | |
| Linear, Quadratic, and Exponential Models<br>*Construct and compare linear and exponential models and solve problems.* | | | |
| **NC.M1.F-LE.1** | Identify situations that can be modeled with linear and exponential functions and justify the most appropriate model for a situation based on the rate of change over equal intervals. | | |
| **NC.M1.F-LE.3** | Compare the end behavior of linear, exponential, and quadratic functions using graphs and tables to show that a quantity increasing exponentially eventually exceeds a quantity increasing linearly or quadratically. | | |

| | | | |
|---|---|---|---|
| | | | |
| Linear, Quadratic, and Exponential Models<br>*Interpret expressions for functions in terms of the situation they model.* | | | |
| **NC.M1.F-LE.5** | Interpret the parameters $a$ and $b$ in a linear function $f(x) = ax + b$ or an exponential function $g(x) = ab\ x$ in terms of a context. | | |
| Geometry | | | |
| Expressing Geometric Properties with Equations<br>*Use coordinates to prove simple geometric theorems algebraically.* | | | |
| **NC.M1.G-GPE.4** | Use coordinates to solve geometric problems involving polygons algebraically<br>• Use coordinates to compute perimeters of polygons and areas of triangles and rectangles.<br>• Use coordinates to verify algebraically that a given set of points produces a particular type of triangle or quadrilateral. | **NC.ECS.M1.GGPE.4** | On a coordinate plane, find the perimeter and area of geometric figures, in which all needed measurements can be counted on the grid.<br>Identify geometric figures on the coordinate plane, using estimation and counting. |
| **NC.M1.G-GPE.5** | Use coordinates to prove the slope criteria for parallel and perpendicular lines and use them to solve | **NC.ECS.M1.GGPE.5** | Know the attributes of perpendicular lines, parallel lines, and line segments.<br>Compare lines on the coordinate plane, to |

| | | | |
|---|---|---|---|
| | problems.<br>• Determine if two lines are parallel, perpendicular, or neither.<br>• Find the equation of a line parallel or perpendicular to a given line that passes through a given point. | | identify parallel lines and recognize that parallel lines have the same slope (rate of change). |
| **NC.M1.G-GPE.6** | Use coordinates to find the midpoint or endpoint of a line segment. | **NC.ECS.M1.GGPE.6** | Use coordinates to find the midpoints or endpoints of a line segment, in the first quadrant. |
| Statistics and Probability | | | |
| Interpreting Categorical and Quantitative Data<br>*Summarize, represent, and interpret data on a single count or measurement variable.* | | | |
| **NC.M1.S-ID.1** | Use technology to represent data with plots on the real number line (histograms, and box plots). | **C.ECS.M1.SID.1** | Given data, use technology to construct a simple graph (line, pie, bar, or picture) or table, and interpret the data. |
| **NC.M1.S-ID.2** | Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets. Interpret differences in shape, center, and spread in the context of the data sets. | **NC.ECS.M1.SID.2** | Interpret general trends on a graph or chart. (More, less, increasing, decreasing)<br>Given a graph, table, or word problem, calculate the mean of a given data sets (when the number of data points is fewer than five) and compare the mean. |
| **NC.M1.S-ID.3** | Examine the effects of extreme data points (outliers) on shape, center, and/or spread. | **NC.ECS.M1.SID.3** | Identify in general outliers in a data set and explain why they are important to identify. |

| | | | |
|---|---|---|---|
| Interpreting Categorical and Quantitative Data<br>*Summarize, represent, and interpret data on two categorical and quantitative variables.* | | | |
| **NC.M1.S-ID.6** | Represent data on two quantitative variables on a scatter plot and describe how the variables are related. | | |
| **NC.M1.S-ID.6a** | Fit a least squares regression line to linear data using technology. Use the fitted function to solve problems. | | |
| **NC.M1.S-ID.6b** | Assess the fit of a linear function by analyzing residuals. | | |
| **NC.M1.S-ID.6c** | Fit a function to exponential data using technology. Use the fitted function to solve problems. | | |
| Interpreting Categorical and Quantitative Data<br>*Interpret linear models.* | | | |
| **NC.M1.S-ID.7** | Interpret in context the rate of change and the intercept of a linear model. Use the linear model to interpolate and extrapolate predicted values. Assess the validity of a predicted value. | | |
| **NC.M1.S-ID.8** | Analyze patterns and describe relationships between two variables in context. Using technology, determine the correlation coefficient | | |

| | | | |
|---|---|---|---|
| | of bivariate data and interpret it as a measure of the strength and direction of a linear relationship. Use a scatter plot, correlation coefficient, and a residual plot to determine the appropriateness of using a linear function to model a relationship between two variables | | |
| **NC.M1.S-ID.9** | Distinguish between association and causation. | | |